Specification



ZE1200V-210

ZERES 5 Series: Electric with Integrated Hydraulics



Clamping Unit		ZE1200 V
Clamping Force	kN	1200
	US Tons	135
Mold Opening Stroke	mm	360
	in.	14.17
Minimum Mold Height	mm	150
	in.	5.91
Maximum Mold Height	mm	480
	in.	18.9
Maximum Daylight	mm	840
	in.	33.07
Distance Between Tie-Bars (HXV)	mm	470x470
	in.	18.5x18.5
Platen Dimensions (HXV)	mm	640x640
	in.	25.2x25.2
Minimum Mold Size	mm	305x305
	in.	12.01x12.01
Ejector Stroke	mm	100
	in.	3.94
Ejector Force	kN	33
	US Tons	4

Specification



ZE1200V-210

ZERES 5 Series: Electric with Integrated Hydraulics

Injection Unit		210			
Screw & Barrel Designation		AA	А	В	С
Screw Diameter	mm	26	28	32	36
	in.	1.02	1.10	1.26	1.42
Screw L/D Ratio	L/D	21	21	21	18.6
Injection Volume (Theoretical)	cm3	61	70	100	127
	cu.in.	3.72	4.27	6.10	7.75
Injection Weight (PS)	g	55	64	91	115
	OZ.	1.94	2.26	3.21	4.06
Injection Pressure	MPa	280	260	200	160
	psi	40611	37710	29008	23206
Holding Pressure	MPa	224	206	160	126
	psi	32488	29878	23206	18275
Screw Speed	rpm	400	400	400	400
Plasticizing Rate (GPPS)	g/s	8.5	11	16	19.4
	oz./s	0.30	0.39	0.56	0.68
Nozzle Contact Force	kN	26	26	26	26
	US Tons	3	3	3	3
Injection Unit			21		
Injection Speed	mm/s		20		
	in./s		7.8		
Injection Rate (PS)	g/s	92	107	140	177
	oz./s	3.25	3.77	4.94	6.24
Injection Unit	,	210h			
Injection Speed	mm/s	350 13.78			
Later Charles (DC)	in./s	462			244
Injection Rate (PS)	g/s	162	188	245	311
Injection Unit	oz./s	5.71	6.63	8.64	10.97
Injection Unit Injection Speed	mm/s	210hs 500			
injection speed	in./s	500 19.69			
Injection Rate (PS)	g/s	231	268	351	444
injection rate (F3)	oz./s	8.15	9.45	12.38	15.66
	02.75	0.13	9.43	12,30	13.00

Specification




ZE1200V-210

ZERES 5 Series: Electric with Integrated Hydraulics

Other					
Connection Power	kW/A	210:16/26			
		210h:21/36			
			210hs:	29/48	
Heating Power	kW	6.9 7.8 9.2 9.2			9.2
Machine Dimension	m	4.81x1.36x2.11			
	in.	189x54x83			
Machine Weight	t	4.83			
	lbs.	10648			
Hopper Capacity (OP)	I	25			
	gal	7			
Oil Pressure	MPa	17.5			
	psi	2538			
Oil Flow	l/min	48			
	gal/min		1:	3	
Oil Tank		78			
	gal		2	1	

*NOTE:

- 1. Machine dimensions and weights are based on the international standard configuration and are for reference only. Any options or country specific requirements will affect this. Contact Absolute Haitian service department for machine specific information.
- 2. Power requirements are based on the international standard configuration and are for reference only. Any options or country specific requirements will affect this. Contact Absolute Haitian service department for machine specific information.



Fixed Platen

Moving Platen



Absolute Haitian Corporation
33 Southgate St. Worcester, MA
T:+1 508-792-4305
www.absolutehaitian.com

Title: ZE/VEV 1200 Fixed & Moving Platens Drawing						
Machine Model: ZE/VEV 1200 Machine Serial Number: Machine Tonnage:		Sheet: 1 of 1	Sheet: 1 of 1			
			Drawn By: Harry	Date: 1/9/2024		
			Chkd By:LEON XIE	Date: 1/9/2024		
Revision	Date:	Drawing #:	NOT TO SCALE	Size: 11 X 17 "B"		
Rev #: 1				Units: mm / [in]		
Rev #: 2				Material:		
Rev #: 3				Part: Part:		
Rev #: 4				Part: Part:		
Rev #: 5				Part: Part:		


PLEASE READ:


The designs on this drawing were validated using machine manufacturer's drawings and/or information supplied by Absolute or the customer. It is the responsibility of the customer to review and confirm that all dimensions are consistent with the application intended and in accordance with the facility requirements for space, part clearance, overhead clearance, or any other interference. By signing this document, the customer accepts full responsibility for this design and application.

Customer:


Customer Approval:
Authorized Signature

Notes:





- *1 Power in Current and Power Cable are shown in the Main Power Supply Circuit
- *2 To the mounting face of the fixed platen
- *3 To the face of Hopper fixing platform
- *4 To the top of the fixed platen
- *5 Vibration dumping support





Absolute Haitian Corporation
33 Southgate St. Worcester, MA
T:+1 508-792-4305
www.absolutehaitian.com

Title: ZE V 1200-210 Layout Drawing						
Machine Model: ZE V 1200-210 Machine Serial Number: Machine Tonnage:			Sheet: 1 of 1			
			Drawn By: Harry			
				Chkd By:LEON XIE	Date: 3/22/2024	
Revision	Date:	Drawing #: Layout		NOT TO SCALE	Size : 11 X 17 "B"	
Rev #: 1					Units: mm / [in]	
Rev #: 2					Material:	
Rev #: 3					Part: Part:	
Rev #: 4					Part: Part:	
Rev #: 5					Part: Part:	


PLEASE READ:


The designs on this drawing were validated using machine manufacturer's drawings and/or information supplied by Absolute or the customer. It is the responsibility of the customer to review and confirm that all dimensions are consistent with the application intended and in accordance with the facility requirements for space, part clearance, overhead clearance, or any other interference. By signing this document, the customer accepts full responsibility for this design and application.

Customer Approval:

Customer:

Notes:







Absolute Haitian Corporation
33 Southgate St. Worcester, MA
T:+1 508-792-4305
www.absolutehaitian.com

Title: ZE V 1200 Robot Mounting Drawing						
Machine Model: ZE V 1200 Machine Serial Number: Machine Tonnage:		Sheet: 1 of 1				
			Drawn By: Harry Date: 4/9/2			
			Chkd By:LEON XIE	Date: 4/9/2024		
Revision	Date:	Drawing #: Robot Mounting	NOT TO SCALE	Size: 11 X 17 "B"		
Rev #: 1				Units: mm / [in]		
Rev #: 2				Material:		
Rev #: 3				Part: Part:		
Rev #: 4				Part: Part:		
Rev #: 5				Part: Part:		

PLEASE READ:

The designs on this drawing were validated using machine manufacturer's drawings and/or information supplied by Absolute or the customer. It is the responsibility of the customer to review and confirm that all dimensions are consistent with the application intended and in accordance with the facility requirements for space, part clearance, overhead clearance, or any other interference. By signing this document, the customer accepts full responsibility for this design and application.

Customer:

Customer Approval:
Authorized Signature

Notes: